

FIFTEEN MONTH VISIT

DEVELOPMENT

1. Your child is now much more mobile, and if not already doing so, will soon be walking, running and climbing. Accident prevention must be a major parental concern.
2. Your child's speech and language development should be progressing. Children should be able to say several words and follow simple commands. They are learning body parts and may be able to pick out objects from a picture book. Read with your child.
3. Children at this age need hands on exploration and social interaction with caregivers for appropriate development therefore use of digital media is not recommended.
4. Your child is becoming more independent, but at the same time will cling more to you in a strange or threatening situation.
5. During the next few months, your child will become even more independent.
6. Please complete the PEDS Response Form to help us assess your child's development. We recognize that some of the questions are not relevant to your child at this age.

DIET

1. All table foods at this age.
2. Avoid sweets and other junk foods. Popcorn, peanuts and other nuts are choking hazards and should be avoided. Peanut butter is acceptable if there is no peanut allergy.
3. Your child will develop definite likes and dislikes with regard to foods. There is no single food that your child requires for good health. A balanced diet should be offered to your child.
4. A marked decrease in appetite is normal at this age and should not be a source of parental concern. Your child will eat what is needed if given the opportunity to eat a balanced diet.
5. All fluids from the cup. No bottles at this age.
6. Continue vitamin and/or fluoride supplements if prescribed.

SAFETY

1. Accident prevention is critical at this age.
2. Use an approved car seat, toddler size. Place in the back seat. The American Academy of Pediatrics recommends that car seats face backwards until the age of 2 years.
3. Do not leave child unattended in bathtub. Lower crib mattress.
4. Keep all medicines, cosmetics, cleaning supplies, plants, and sharp and small objects away from your child.
5. Protect your home with smoke and carbon monoxide detectors.
6. Cover electrical outlets and do not allow infant to play with electrical cords.
7. Keep basement doors closed. Use window guards on upstairs windows, gates on stairways.
8. Poison Control Center telephone 1-800-222-1222.
9. Parental cigarette smoking is associated with serious disease in toddlers including respiratory illnesses, ear infections and an increased risk of Sudden Infant Death Syndrome (SIDS). Cigarette smoke causes cancer. Do not expose your child to this toxin.
10. Use sun block during the appropriate times of the year.
11. Perform a full body tick check each night before bed.
12. Protect against mosquito bites. Use insect repellent sparingly.

DISCIPLINE

1. Children react to frustration by crying and throwing temper tantrums. The tantrums will become more frequent if parents respond by giving in to this behavior. The best way to handle tantrums is to ignore them. Behavior that is not reinforced will stop.
2. Set consistent, reasonable limits.
3. Both parents must agree on the method of discipline.
4. Reward desired behavior. Do NOT reward undesired behavior.
5. Self-image is important. Children like to please; they should not be referred to as bad, since they will be given a reputation to live up to. You may disapprove of what your child does, but never disapprove of your child.
6. Be reasonable, be consistent, and be patient. Children learn by repetition.

SLEEP

1. Sleep disturbances are common at this age. Children should not be allowed to get up to play after they are put to bed. Do NOT place a TV in your child's bedroom.
2. Establishment of a definite bedtime routine such as a bath followed by a bedtime story will help your child settle down to go to sleep.
3. Do not allow your child to get up and play at night or to come into bed with you.
4. The duration and timing of naps is variable at this age. You will recognize when your child is tired. Use a crib for sleeping, playpens for playing.
5. The American Academy of Pediatrics recommends 11-14 hours of sleep, including naps, per day at this age.

PROCEDURES

1. The American Academy of Pediatrics recommends that fluoride varnish be applied every 3-6 months to the teeth of infants between the ages of 6 months and 5 years. Please discuss this recommendation with your physician.

IMMUNIZATIONS

1. Please notify the physician if your toddler has had a reaction to any previous immunizations.
2. Today, your toddler will receive booster doses of the following vaccines:
 - a. DTaP (Diphtheria, Tetanus, and acellular Pertussis).
 - b. Hib (Haemophilus influenza type b).
 - c. PCV13 (Pneumococcal conjugate).
 - d. Influenza, if available
3. Acetaminophen in appropriate dosage for weight (18-23 lb, 3.75mL ; 24-35 lb, 5mL) may be given as needed for fever, irritability, redness, or soreness at the injection site. Prolonged or severe reactions should be reported to the office.

NEXT VISIT: At 18 months of age.

Parent/Guardian must accompany child to all visits.

Copies of this and all Handouts may be found on our website at www.tri-countypediatrics.com